Steps in the Application of Scenario 7

1	Avatar of player begins front of the engine room.	
2	Player goes to MOP	2 02
3	Read messages about alarm on MOP screen	EICUXXM_0353-Hydr. Press. too high
4	Press Acknowledge button	ump High Pressure
5	Check JW pressure gauge on MOP	
6	Check JW pressure gauge on panel in engine room	


7 Go to -2 floor Go next to JW pumps, they are front 8 of engine Check input and output valves of 9 slave pump (open) 10 Go front of local panel of JW slave pump 11 Start slave pump (If slave pump does

not run)

12 Go front of local panel of JW Master pump




- 13 Stop master pump
- 14 Close input and output valves of master pump



15 Repair the master pump



16 Open input and output valves of master pump



17	Go front of local panel of JW Master pump	
18	Run master pump	
19	Go to -1 floor	
20	Go next to JW Cooler, they are front of engine	LO SLAVE COOLER CONTR
21	Check input and output valves of slave Cooler (open)	
22	Go front of local panel of JW slave Cooler	CO Code Local Page 1 CO Sees Code
23	Start slave Cooler (If slave pump does not run)	
24	Go front of local panel of JW Master Cooler	LO Code Lord Paul LO Spendier LO Spendier

25	Stop master Cooler	
26	Close input and output valves of master Cooler	
27	Repair the master Cooler	LO MASTER PUMP MAET WANTE OPTIET WANTE Remove Repair Re-Install STATUS: OFF
28	Open input and output valves of master Cooler	
29	Check Alarm Status light on the wall or engine room	
30	Finish	